

MAINTENANCE AEROSOL

ESSENTIAL

Professional-Grade Aerosols for Everyday Maintenance





Fast evaporating solvent, formulated to clean and deoxidise switched-off electrical contacts. Removes oil, grease, dirt, flux and other contaminants. Leaves a light film to lubricate and protect. Safe on plastic components. Electronic connectors, circuit breakers, electrical motors, generators, relays, solenoids, switches, plugs and jacks, micro bearings, ignition systems, micro mechanisms etc

SPECIFICATION (=

((≡

PACKAGING



KB Index: 35 Flash Point: <12°C Density: 0.7 REF. CODE PACKAGING O 501 A3 Aerosol 400ML x 12

Ideal for:

CORRP

Electronic connectors, electrical contacts, circuit breakers, electrical motors, generators, printed circuit boards, relays, solenoids, switches, plugs and jacks, potentiometers, micro bearings, power tools, ignition systems, micro mechanisms, alarm and signal systems, office equipment, printer.



PRODUCT NO 508



A90H

Non-Flammable Contact Cleaner

A90H is an ultra-high purity, non-flammable, fast-drying solvent for cleaning sensitive electrical and electronic components. It removes grease, oil, and contaminants from devices such as circuit boards, switches, motors, relays, and connectors, and is suitable for marine, aircraft, medical, and office equipment.

SPECIFICATION

Density:

Flash Point:
Dielectric Strength:
Volatility:
Boiling Point:
Vapour Pressure:
Auto-ignition Temp:

None 87 kV/cm 100% 32°C 76.31kPa 532°C 1.24

PACKAGING

REF. CODE PACKAGING
O 0508 A3 Aerosol 330GM x 6
O 0508 A3 Aerosol 330GM x 12

Ideal for

Printed circuits boards, switches, connectors, electrical motors, microcomputer controls, telephone relays, semiconductor devices, marine and aircraft equipment, medical electronic devices.



PRODUCT NO



KLEENSHINE

Foam Cleaner & Disinfectant

KLEENSHINE is an ammoniated foaming cleaner and disinfectant formulated for all hard inanimate surfaces, effectively cleaning and deodorizing in one operation. It is ideal for use in hospitals, offices, factories, hotels, restaurants, and food processing plants. KLEENSHINE is recommended for countertops, tables, sinks, bathtubs, tiles, stainless steel, woodwork, leather, vinyl, and other surfaces including whiteboards, enameled, varnished, or painted areas.

SPECIFICATION



PACKAGING



REF. CODE PACKAGING OH 3544 A3 Aerosol 45GM x 12

Ideal for: Nursing homes, hospitals, institutions, office buildings, schools, factories, motels, hotels Cafeterias, restaurants, food processing plants.



9800

CORRP! WEND SETTAL OSE LIBRATION PRASE SETT PROPERTY P

INSTA-LOOSE

High Performance Lubricating Release Agent

Lubricating penetrant and release agent with powerful solvent action, specially developed to break the bond of corrosion on bolts and other close fitting metal parts injection moulds, tools and machineries. Recommened use for to free frozen nuts, bolts, fittings, hinges, shackles, lock mechanisms and all close fitting parts on automotive and marine equipment and all types of industrial and farm machinery.

SPECIFICATION

Flammability: Non-flammable
Toxicity: Non-corrosive to skin



REF. CODE PACKAGING O 9800 A3 Aerosol 380GM x 12







Extreme Pressure Chain Lubricant

CB6 is a deeply penetrating high-performance synthetic and "clean" lubricant specially recommended to serve the critical demands of conveyors and chain drives systems working under severe loads, extreme temperatures and in a humid or dusty environment requiring maximum lubrication.

SPECIFICATION

Viscosity @ 25°C: 430 to 650 cSt Drop Point: -30°C |
Flash Point: > 300° C |
SHELL Four Ball EP: <0.4 mm |
Operating Temp: -30°C to +280°C |

PACKAGING

REF. CODE PACKAGING
O 0806 A3 Aerosol 300ML x 12

Ideal for:

Transmission chains, conveyor chain, line shaft roller conveyor, chain drive, bottling equipment, industrial baking oven, automotive conveyor system, bowling pinsetter, textile equipment, filling carousel, woodworking machine, plastic conveyor chains, paper, packaging, printing machines, farm equipment, slaughterhouses



PRODUCT NO 605



WSA

Extreme Pressure Waterproof Grease

WSA is a premium extreme pressure adhesive grease, formulated to serve the most severe demanding requirement in marine, offshore and hydraulic environments. WSA lubricates and protects all metal surfaces from humid and corrosive atmospheres (salt spray, chemical pollution) and will not emulsifies in fresh, cold, hot or salt water.

SPECIFICATION

Max Operating Speed:

Anti-corrosion (NF 60-135):

Thickener: Viscosity Base Oil SUS @ 40°C: NLGI Grade: Drop Point: Four Ball EP: Operating Temperature Range:

870 cSt 2 >> 160° C .315 kg - 30° C to + 130° C Up to 3500 RPM 0 score

Calcium

PACKAGING

REF. CODE PACKAGING
O 0605 A3 Aerosol 340G x 12
O 0605 C4 Cartridge 400G x 12

Ideal for:

Marine offshore, hydraulics, sewage and water treatment plants, automotive equipment, buses equipment, trucks and heavy equipment, paper mills, Food processing, dairy plants





CONTACT US

SINGAPORE

ORAPI APPLIED (S) PTE LTD

No.26 Tuas Avenue 13 Singapore 638992 Tel: +65 6265 2888 Fax: +65 6268 6474

Email: sin.sales@orapiasia.com

MALAYSIA

ORAPI APPLIED (M) SDN BHD

No.10, Jalan PJU 3/49 – PJU 3, Sunway Damansara 47810 Petaling Jaya – Selangor, Malaysia Tel: +60-3-7805 3805 Fax: +60-3-7880 5805

Email: msia.sales@orapiasia.com

THAILAND

ORAPI APPLIED (T) CO. LTD

55/75 Moo 9, Townplus Kaset Nawamin Village, Klonglumjiak Road, Klongkum, Buengkum – Bangkok 10240, Thailand

Tel: +66-2-508 1342 Fax: +66-2-508 1343

Email: thai.sales@orapiasia.com

UAE

ORAPI MIDDLE EAST L. L. C.

729 Business Village, Main Building Block B PO Box 120509 – Dubai, UAE Tel: +(971) 4 2942947 Fax: +971 (0) 4294 2948 Email: uae.sales@orapi.ae

